


### *Amendments to the Claims*

This listing of claims will replace all prior versions, and listings, of claims in the application.


1-5. (Cancelled)

6. (Currently amended) An active compound combination ~~comprising~~ consisting essentially of a compound of formula (I)



and

a compound of formula (II)




7. (Previously presented) An active compound combination according to Claim 6 in which the weight ratio of the compound of formula (I) to the compound of formula (II) is from 1:0.02 to 1:20.


8. (Previously presented) A method for controlling fungi comprising applying an effective amount of an active compound combination according to Claim 6 to the fungi and/or their habitat.

9. (Currently amended) A process for preparing a fungicidal composition comprising mixing an active compound combination according to Claim 6 with one or more extenders and/or surfactants.

10. (Currently amended) A fungicidal ~~mixture~~ composition, comprising trifloxystrobin of formula I



and prothioconazole of formula II



~~in a synergistically effective amount.~~


and, optionally one or more extenders and/or surfactants, wherein the weight ratio of trifloxystrobin of formula I to prothioconazole of formula II is from 1:0.02 to 1:20.

11. (Cancelled)


12. (Currently amended) The fungicidal ~~mixture~~ composition as claimed in Claim 10, wherein the weight ratio of trifloxystrobin of formula I to prothioconazole of formula II is from 1:0.05 to 1:10.

13. (Currently amended) The fungicidal ~~mixture~~ composition of Claim 10, wherein said composition contains one or more extenders which are further comprising a solid or liquid carriers ~~earrier~~.

14. (Previously presented) A method for controlling phytopathogenic fungi, which comprises treating said phytopathogenic fungi, their environment, habitat or the plants, parts of plants, seeds, soils, or storage areas, with an anti-fungal effective amount of trifloxystrobin of formula I



and prothioconazole of formula II



15. (Previously presented) The method of Claim 14, wherein said compounds are applied to said soil or parts of plants in a total amount of between 0.1 g/ha and 10,000 g/ha.

16. (Previously presented) The method of Claim 14, wherein said compounds are applied to said parts of plants in a total amount of between 10 g/ha and 1,000 g/ha.

17. (Previously presented) The method of Claim 14, wherein said compounds are applied to said soil in a total amount of between 1 g/ha and 5,000 g/ha.

18. (Previously presented) The method of Claim 14, wherein said compounds are applied to said seeds in a total amount of between 0.001 g and 50 g/kg of seed.

19. (Previously presented) The method of Claim 14, wherein said compounds are applied to said seeds in a total amount of between 0.01 g and 10 g/kg of seed.